

Reply to Pre-Bid Queries

EoI No: EdCIL/DES/EoI/2022-23/004

Date: 08.12.2022

Name: Expression of Interest (EOI) For Empanelment of system integrator for setting up of IT Infrastructure for Command Control Centre, VSK and other related projects on PAN India basis.

Reply to Queries raised by the followings:

- 1. Velocis Systems Private Limited
- 2. Allied Digital Services Limited
- 3. Valeur Fabtex Private Limited
- 4. Exileo
- 5. Fluentgrid Limited
- 6. Sistema Smart Technologies Limited
- 7. Globus Infocom Limited
- 8. Pragyawan Technologies Private Limited
- 9. Schoolnet India Limited
- 10. Pingletech
- 11.LG
- 12. Momentum Techsys Pvt. Ltd.

S.no	Section No.	Page No.	Clause as per EoI	Clarification Sought	Response
1	Section 6 Eligibility and Evaluation Criteria / 6.3 Pre- Qualificatio n Criteria	52	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corporate Sector in the past three financial years, for a similar scope of work. Documents: Attach Proof for the projects executed and certificate from client along with Annexure - 4	We request to revise the clause as below. The Bidder should have experience of deployment/Maitaining of Active LED Videowall LCD Videowall in Govt./PSU/ Corporate Sector in the past three financial years, for a similar/System Integration scope of work. Documents: Attach Proof for the projects executed and certificate from client along with Annexure - 4	Please refer corrigendum-3.



2	Section 3 Instruction s to Bidders / 3.1.3 Instruction s for online bid submission	8	The bidders are required to submit soft copies of their EOI's electronically on http:///tenderwizard.com/EDCIL etendering website,.		No Hardcopy is required to be submitted
3	Section 1 INVITATIO N FOR EXPRESSI ON OF INTEREST pt. no.4	2	Sealed envelope, containing EOI along with the copies of supporting documents shall be submitted to the address given below mentioning "Empanelment of system integrator for setting up of IT Infrastructure" on the top cover	Please clarify whether we need to upoad softcopy on tenderwizard portal or sent hard copies by courier.	No Hardcopy is required to be submitted
4	NA	NA	General Query	We request to allow the consortium up to two members include lead partner to participate in this EoI.	No changes
5			6.3 Pre- Qualification	Turnover of the firm for last Three Financial Year from ITES/ ITITES Related work should be 25 Crores Worth.	
6	Section-6	51	Sr No 2 Average Turnover of the firm for last Three Financial Year from ITES Should be 50 Crores i.e., 2019-20,2020- 21,2021-2022 with Net Profit and Positive net Worth.	Reason for changes requested: The mentioned work in tender has been expedited in country in recent years & organization delivering similar works are negligible. So, the average turnover should be reduced so the maximum number of bidders can Participate.	Please refer corrigendum-3.



7	Section-6	51	Sr No 3 The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corpor ate Sector in the past three financial years, for a similar scope of work.	The Company of Supply another IT Component including 21st Century Component including laptop/Drone 3D Printer etc. under same project should be consider.	Please refer corrigendum-3.
8	18,18	Video wall Cont roller for 4,8,1 6 Chan nel	You have not ask GUI Software and Processor to Run and Program VSK Software Requesting you Please Add Product and Specification as given	GUI Software Solution should have Remote Desktop over IP within Network, Display Specific grid for easy Contain Placing, Layout Scheduling. Remote users become both source and destination for information as colleagues share and annotate on live Video streams, communicate with voice and Text, and collaborate on documents. The provision of displaying contents over Large Display PPT, Work, Excel Etc. Should Provide IP Video Streaming Solution and Integration of Streaming Solution. Should have Feature Draw, Type, Label, identify or annotate areas of interest on live Video and other sources. Should have White Board Feature and Share active Web Window. Collaborate with Multiple Video walls to ensure	The query is not related with this EOI. Please refer EOI No. EdCIL/DES/EOI/2022-23/003.



			Operational Awareness. Display - Video Wall through different sources like PC, Laptop, Satellite TV Input, and another Video Source, LAN/WAN and Other possible Modes in Command & Control Centre (CCC) Room Solution.	
9	Video wall Cont roller for 4,8,1 6 Chan nel	Data wall Processor not Consider in the EOI	Core i7,16 GB ram, Should have 4 output and 12 input support up to Compatible 21:9 ,5k Resolution and should be scalable from day one. Should have redundant power supplies and 256 SSD, window 10 Professional as a Mirror raid pair, Open API platform for 3rd party control systems Certification UL,CE,FCC	Please refer EOI Document . Adding the referred specification of Data wall processor will restrict the competitive bidding.
10	Video wall Cont roller for 4,8,1 6 Chan nel	Controller Specification is missing	Requesting you Pls Consider With Inbuilt processing power and internal storage to store and process the control Program, should be compatible with any (IOS/Android) wireless or wired Touch screen of	Please refer EOI Document. Specification of video wall controller is already mentioned in the EOI Document



		any size. Additional Port	
		require Added. Should	
		have the flexibility to	
		add as many user	
		interfaces, Embedded	
		web page, Control port	
		setting with 3	
		bidirectional RS 232 and	
		IR, 8 Relay Port to	
		Control, 1 Ethernet Port	
		to control All Devices	
		Room with IR Inbuild IR	
		Sensor to Learn	
		Command.	
		The Controller can also	
		be easily to switch the	
		display mode by using a	
		scene saved. Support	
		matrix control and	
		large-screen direct	
		control and Other Av	
		Equipment.	
		Through configuration	
		for matrix and large	
		screen in the controller	
		software, should directly	
		simultaneously operate	
		the matrix, the stitching	
		controller and the large	
		screen	
		chasis based 4,8,16 Port	
		in and Out, Handles	
		HDMI devices with	
		Deep Color, 3D, 4K, and	
		high-bitrate 7.1 encoded	
	Video	audio, Enables high-	
	wall	performance H.264	
	Cont	streaming from any	Please refer EOI
	roller	input source up to	Document .
11	for	1080p, HDCP 2.2	Specification of video
	4,8,1	Compliant, Modular	wall controller is
	$\frac{1}{6}$	inputs support a	already mentioned in
	Chan	complete range of	the EOI Document
	nel	digital, analog, and	
		streaming signal types,	
		Web Browsed Controller	
		Support 4K@60 4:4:4,	
		USB HID extention for a	
		local keyboard/mouse or	
	<u> </u>	100dl Hoj bodi di iliodico di	



		computer, AV signal	
		format management via	
		EDID & Cloud management. UL,CE	
		7 inch 1280 x 800	
		display resolution,	
		Custom-programmable virtual control buttons,	
		Should supports HTML5	
		and Smart Graphics for	
		custom user projects,	
		Should support 100	
		Mbps, auto switching,	
		auto negotiating, auto discovery, full/half	
		duplex, Wi-Fi	
		communication with	(L) DOO: 41 E/I
		IEEE 802.11a/b/g/n/ac	The BOQ in the EoI document is tentative
	Touch Controll	Wi-Fi, Bluetooth,	in nature. However,
	Panel is Missing Which Will be use	Ethernet connection	EdCIL in consultation
12	to Operate	with Poe or PoE+ only, should have an option of	with end client will
	Datawall and Run	Cloud management via	formulate the final
	Software	IoT based platform for	BoQ as per the
		remotely provisioning,	requirement at the RFP stage.
		monitoring, Enterprise	Wil Stage.
		grade security and authentication with 64	
		and 128-bit WEP, WPA	
		and WPA2-PSK with	
		TKIP and AES or better.	
		support native apps for	
		Zoom Rooms	
		conferencing control, Microsoft Teams online	
		meeting solution, and	
		various room scheduling	
		services CE, FCC	



13	Proce Consi EOI R you P for Sp Aud	ta wall essor not der in the lequesting lease Add eaker and dio Part	Digital Signal Processor with built in Acoustic Echo Cancellation, Noise Cancellation, Auto Mixing and Sound Reinforcement Application 04 Nos Mic/Line balance audio and 1 unbalance stereo audio Inputs. One HDMI and USB Interface audio Phantom Power: 48 VDC on/off per input. Distributed Echo Cancellation per Mic Input, Noise Cancellation up to 25dB should be supported 1 Balanced Stereo Audio Stereo USB Audio support for PC based conferencing such as COLLABORATE Space, WebEx, MS Teams, Zoom, and Google Meet Should have 2X1 inbuilt Matrix Switching, Should support minimum video resolution support 4K@60Hz (4:4:4), Control Thru Ethernet or RS232.	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
14	missir Reque	eaker is ng in BOQ esting you ase Add	Active Speker Sound Mixer and 2.1 Speaker	Please refer EOI Document.
15	is reque	Wall Plate missing esting you ase Add	Active Wall Plate 4k@4:4:4 Full HD Support Dashboard- forward design keeps connections close to the surface One-touch lid retracts and disappears at the tap of a button, Gravity Cable Retractors. Keystone plate modules allow the	Please refer EOI Document.



		installation of any flush mountable keystone compliant connector.	
16	AV Over IP Device are missing in Solution requesting you Please Add	AV Over IP Encoder and Decoding Device, works as Trans-receiver & configured as decoder or decoder, supports up to 4K@60Hz, 4:4:4 colour sampling video over standard 1 Gigabit / 10 Gigabit Ethernet, HDR10+, Dolby Vision, Dolby Atmos, AES-67, KVM Signal extension, COM & IR ports with copper & Fiber connectivity, HDCP 2.3, supports 802.1x Authentication, Active directory & other security protocols & Cloud Management	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
17	AV Network Switch is Missing in BOQ	AV Network Switch 24 Port With 10G Modual Pre-configured for Out- of-Box L2 Multicast (SDVoE-ready) Prevent network flooding with effortless multicast implementation of Layer 2 Multicast	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
18	Streaming Solution is Missing to Broad Cast Lecture and Live Viewing	Streaming a Control System 4K@60 HDMI 4:4:4 Wired Input to connect source with HDMI directly. Min. 1 HDMI & 1 Display Port outputs is required. Audio de-embedding feature with 1 Analog audio line out on a 3.5mm jack. System Should support streaming with RTSP	Please refer EOI Document.



	T			T	
				protocol for two-way	
				annotation purpose to	
				minimum two hundred	
				user/ Network devices at	
				a time for broadcasting	
				Should present	
				minimum five or more	
				user on a single display,	
				Inbuilt/external Wi-Fi,	
				user authentication,	
				1024-bit encryption,	
				dynamic room code.	
				Product having CE, ISO	
				9001, ISO 14001	
				certifications.	
				55 inch ,500 Nits and	
				Lan port In and Out	
			Dogwooding group	Daisy Chain	
			Requesting you	HDMI (2, HDCP2.2), DP	
10		15 10	Please Add	(1,HDCP2.2), DVI-D (1,	Please refer EOI
19		15,16	Display Spec for Bezel Less	HDCP1.4), Audio In,	Document.
				RS232C IN, RJ45(LAN),	
			Display	IR IN, USB2.0 Type A	
				(1), Certification CB and	
				Energy Star 8.0,FCC	
			Requesting you		
20			Ask OEM		This may be asked at
20			Authorisation to		the RFP Stage.
			participate in bid		
			Requesting you		
21			ask oem to Land		This may be asked at
			Boarder clause		the RFP Stage.
			undertaking	ID D. J.C. II	
				IP Based Call	
				Management	m1 DCC :
				communication System	The BOQ in the EoI
				with require 30 Nos call	document is tentative
			Requesting you	Center Agent License	in nature. However,
			Ask Call center	including require	EdCIL in consultation
22			IPBAX solution	Hardware, 60 channel	with end client will
_ _			which is not	Turk Expansion	formulate the final
			included in BOQ	Modular,1 Nos PC	BoQ with redefined
			33333 23 2 3 3	Based operator console,	specifications as per
				30 Nos Open Scape	the requirement at the
				Desk phone with contact	RFP stage.
				center Agent with 3	
				Year Service support	



23			Requesting you ask AOC HDMI Cable Which is Not Included in EOI	All HDMI Active Optical Cable Support rate up to 18.2 Gbps and resolution must Support up to 3820x2160@60 Hz or better, it shall be highly resistant with RF and EMI interference. It shall work without the use of External Power Supplies	Bidders are required to include the charges of Installation, Cabling and commissioning in their respective line item.
24		52	Average Annual Turnover of the firm for the last three financial years, from ITeS should be 50 crores i.e., 2019- 20, 2020-21, 2021- 22 with net profit and positive net worth.	Requesting you ask Minimum Turover to participate More bidder Since project value will not more then 5 Cr so requesting you ask 15 CR Turover Avg annual Turnover	Please refer corrigendum-3.
25				Ask OEM and Bidder have at least one project Expriance in India in last 5 year.	Please refer Annexure - 4 experience in related fields.
26	M. Call Manageme nt Solution, Call Center Features Point No:1	45	Solution should help in reducing business costs and improve customer response by providing a single-server, contact-center-in-a-box deployment with the following:	According to point no 19 from the same section, The solution should be highly available for core functions. Clarification sought over here, How this could be possible with a single server provisioning. Please clarify.	It should provide applicable redundancy. The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
27	M. Call Manageme nt Solution, Centralized Architectur e Point No: 3	47	The call control system should be fully redundant solution with NO single point of failures & should provide 1:1 redundancy. Both the server should do call processing	Clarification Sought, with no mentioning of DC/DR locations and their BCP norms, how can we judge the Single Point of Failure for any component.	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



			all the time and act as backup in case of the failure of one server.		
28	General	-	-	We request you clarify if interiors, electricals etc are part of the scope in this EoI.	Installation, Commissioning and cabling shall be the part of Bidder's Scope of work.
29	General	-	-	Internet Lease Lines are not considered. We request you to please confirm.	Internet Lease Lines shall be provided by end client.
30	General	•	-	We request you clarify if there is any requirement of Physical Servers for hosting the applications?	The application will be hosted on cloud. Hosting on Cloud shall be the part of Bidder's Scope of work
31	General	-	-	We request you clarify if there is any requirement of IT Components like Firewall, Routers, etc.	Not Applicable as the application will be hosted on cloud
32	General	-	-	We request you clarify if there is any requirement of Resource to be deputed onsite	No resource deputation is required as per EOI document.
33	F. Desktop Computer	26	-	We request you clarify if there is any requirement of MS- Office and Antivirus?	Please refer corrigendum-3.
34	M. Call Manageme nt Solution (End user telephony Features required)	48	EPBAX & Telephones	As per the EoI it is mentioned that the end user telephony features are required. We request you clarify if it is expected to be a soft phone facility.	Soft Phone facility is expected. The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



	T		1		
35	6.3 Pre- Qualificatio n Criteria	51	Average Annual Turnover of the firm for the last three financial years, from ITeS should be 50 crores i.e., 2019- 20, 2020-21, 2021- 22 with net profit and positive net worth.	Average Annual Turnover of the firm for the last three financial years, from ITeS should be 25 crores; For positive net worth please consider bidder or its parent company.	Please refer corrigendum-3.
36	6.3 Pre- Qualificatio n Criteria	51	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corpor ate Sector in the past three financial years, for a similar scope of work.	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall or similar it equipments in Govt./PSU/Corporate Sector in the past three financial years, for a similar scope of work.	Please refer corrigendum-3.
37	6.3 Pre- Qualificatio n Criteria	52	The firm must have at least 500 full time professionals on its rolls as on 31st March 2022 in India	The firm or its parent company must have at least 500 full time professionals on its rolls as on 31st March 2022.	Please refer corrigendum-3.
38	6.3 Pre- Qualificatio n Criteria	52	The firm/company should be a profitmaking concern for each of the last three consecutive financial years i.e., 2019-20, 2020-21, 2021-22	The firm/company or its parent company should be a profitmaking concern for each of the last three consecutive financial years i.e., 2019-20, 2020-21, 2021-22	Please refer corrigendum-3.
39	6.3 Pre- Qualificatio n Criteria	53	Should have presence in at least 5 States/UTs across India as per details defined in clause 5.2	Should have presence in at least 3 States/UTs across India as per details defined in clause 5.2	Please refer to corrigendum-3.



		ı	T			
40	Section 5; Scope of	Page no. 16	Active-Led Type-1	Please change as the mentioned specifications are very normal/common which are available with all chinese and local brand/dealer, hence we request please change specifications as only reputed OEMs will participate and restrcit chinese brands	Please refer corrigendum-3.	
41		Page no. 17	Active-Led Type-2	Please change as the mentioned specifications are very normal/common which are available with all chinese and local brand/dealer, hence we request please change specifications as only reputed OEMs will participate and restrcit chinese brands	Please refer corrigendum-3.	
42	Work	Page no. 18	Active-Led Type-3	Please change as the mentioned specifications are very normal/common which are available with all chinese and local brand/dealer, hence we request please change specifications as only reputed OEMs will participate and restrcit chinese brands	Please refer corrigendum-3.	
43			Page no. 21	LCD-Panel Type- 1	Please consider LED wall against Data wall as Data wall is outdated obsolete technology, all the reputed organizations and also VSK are adopted LED wall instead of LCD based video wall	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



	1	1		
44	Page no. 22	LCD-Panel Type-	Please consider LED wall against Data wall as Data wall is outdated obsolete technology, all the reputed organizations and also VSK are adopted LED wall instead of LCD based video wall	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
45	Page no. 28	Full HD PTZ Camera for Faculty with Tracking facility (Optical Zoom 20X)	Please consider Preset VC Camera instead of Speaker Tracking as Preset is more accurate than Speaker tracking. Speaker Tracking camera would not be accurate in case of multiple speaker are present in room. (b) In case of speaker out of camara FOV. (c) When speaker talk only for few seconds like 2-3 second as speaker camera track active speaker after 4-5 seconds We recommend please consider preset camera instead of speaker camera	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
46	Page no. 29	Full HD PTZ Camera for Faculty with Tracking facility (Optical Zoom 12X)	Please consider Preset VC Camera instead of Speaker Tracking as Preset is more accurate than Speaker tracking. Speaker Tracking camera would not be accurate in case of multiple speaker are present in room. (b) In case of speaker out of camara FOV. (c) When speaker talk only for few seconds like	The BOQ in the EoI document is tentative in nature. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



				2-3 second as speaker camera track active speaker after 4-5 seconds We recommend please consider preset camera instead of speaker camera	
47	6.3 Pre- Qualificatio n Crieteria	51	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corpor ate Sector in the past three financial years, for a similar scope of work.	Request to kindly amend this as "The Bidder should have experience of deployment of Active LED Videowall LCD Videowall or Similar Products in Govt./PSU/Corporate Sector in the past three financial years, for a similar scope of work.	Please refer corrigendum-3.
48	6.3 Pre- Qualificatio n Crieteria	52	The firm must have at least 500 full time professionals on its rolls as on 31st March 2022 in India.	Request to kindly amend this as "The firm must have at least 250 full time professionals on its rolls as on 31st March 2022 in India."	Please refer corrigendum-3.
49	6.3 Pre- Qualificatio n Criteria/2	52	Average Annual Turnover of the firm for the last three financial years, from ITeS should be 50 crores i.e., 2019- 20, 2020-21, 2021- 22 with net profit and positive net worth. For MSME registered with NSIC Average Annual	The turnover is for capability of the company financial position to execute the work. So we request you to kindly reduce the turnover to 16 Cr. It will help MSME companies like us to participate in this tender. Also It will help larger participation and competitive price to the department.	Please refer corrigendum-3.



		1			
			Turnover of the firm for the last three financial years, from ITeS should be 45 crores i.e., 2019-20, 2020-21, 2021-22 with net profit and positive net worth.	So kindly consider this request.	
50	6.3 Pre- Qualificatio n Criteria/3	52	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corpor ate Sector in the past three financial years, for a similar scope of work.	We request to you that please modify in experience of Smatclass in Govt./PSU/ Corporate Sector in the past three financial years, for a similar scope of work. So kindly consider this request	Please refer corrigendum-3.
51	6.3 Pre- Qualificatio n Criteria/3	53	The firm must have at least 500 full time professionals on its rolls as on 31st March 2022 in India.	We request to you that please reduce to 100 full time professionals on its rolls as on 31st March 2022 in India.	Please refer corrigendum-3.
52	A. ACTIVE LED/1. Active-Led Type- 1/S.no.2	15	Physical Parameters/Diago nal Size/163" inches or above	Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement	In the EoI Document, diagonal size 163 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel pitch. Accordingly, area in sqft or sqmt can be calculated.
53	A. ACTIVE LED/1. Active-Led Type- 1/S.no.3	15	Visual Parameters/Brigh tness/330 nits (cd/m2) or above	Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available	Please refer corrigendum-3.



54	A. ACTIVE LED/1. Active-Led Type-	15	LED Wall Controller/Minim um Input/ DVI	Please allow HDMI or better as all applications runs through HDMI input source	Please refer corrigendum-3.
55	1/S.no.6 1. Active-Led Type-2/2	16	Physical Parameters/Diago nal Size/135" inches or above	Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement	In the EoI Document, diagonal size 163 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel pitch. Accordingly, area in sqft or sqmt can be calculated.
56	1. Active- Led Type- 2/3	16	Visual Parameters/Brigh tness/330 nits (cd/m2) or above	Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available	Please refer corrigendum-3.
57	1. Active- Led Type- 2/6	16	LED Wall Controller/Minim um Input/ DV	Please allow HDMI or better as all applications runs through HDMI input source	Please refer corrigendum-3.
58	1. Active- Led Type- 3/2	16	Physical Parameters/Diago nal Size/108"inches or above	Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement	In the EoI Document, diagonal size 163 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel pitch. Accordingly, area in sqft or sqmt can be calculated.
60	1. Active- Led Type- 3/3	16	Visual Parameters/Brigh tness/330 nits (cd/m2) or above	Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available	Please refer corrigendum-3.
61	1. Active- Led Type- 3/6	16	LED Wall Controller/Minim um Input/ DV	Please allow HDMI or better as all applications runs through HDMI input source	Please refer corrigendum-3.



62	Section 4		Objective	As per the objectives of empanelling the system integrators to provide assistance EdCIL for further execution of Project. We request to the department to kindly clarify if multiple SI would be empanelled through EOI.	Please refer EoI Document section 6.4.
63	6.3 Pre- Qualificatio n Criteria Sr no 3	52	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corpor ate Sector in the past three financial years, for a similar scope of work.	Since we concept for LED/LCD video wall is still in emerging/evovling phase, we request to the department to kindly consider, bidder's experience for implementation IT/ICT solution for Education Sector for Govt/PSUs	Please refer corrigendum-3.
64	6.3 Pre- Qualificatio n Criteria Sr no 8	53	The firm/company should be a profitmaking concern for each of the last three consecutive financial years i.e., 2019-20, 2020-21, 2021-22	As you are aware that because of Pandemic and Lockdown, most of the organization could not do well in terms of profitability. Therefore we request to the department to kindly consider profitability of Organization as 3 out of four financial years. Bidder should be profitable in 3 financial years out of 4 Financial years	Please refer corrigendum-3.
65	6.3 Pre- Qualificatio n Criteria Sr no 13	53	The bidder should submit the product brochure of all the hardware and software asked in EOI	Please confirm, if bidders can propose multiple OEMs as part to proposal submission, also confirm if bidder's are requred to submit MAF for same	This is not required at EOI Stage. MAF shall be asked at the RFP Stage.
66	Annexure -	61	Budgetary Quote	We assume prices submitted under the proposal would be budgetary in nature and	The prices submitted with EOI will be budgetary in nature. The price shall be finalised at RFP Stage.



			1		<u> </u>
				would not lead to price	
				finalization of bidder	
67	A. ACTIVE LED, 1. Active-Led Type-1	16	Physical Parameters - Clearance required at the back - Front access screen - 150mm Maximum Back Access Screen- 600mm Maximum	Back Access Screen- 150mm	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
68	A. ACTIVE LED, 1. Active-Led Type-1	16	Visual Parameters - Brightness - 330 nits (cd/m2) or above	600 nits (cd/m2) or above	Please refer corrigendum-3.
69	A. ACTIVE LED, 1. Active-Led Type-1	16	Visual Parameters - Refresh - ≥ 3000 or better	3840 or better	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
	A. ACTIVE LED, 1. Active-Led Type-1	16	LED Wall Controller - Overall power consumption - 16W or less	As per actual	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
70	A. ACTIVE LED, 2. Active-Led Type-2	17	Physical Parameters - Clearance required at the back - Front access screen - 150mm Maximum Back Access Screen - 600mm Maximum	Back Access Screen- 150mm	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



71	A. ACTIVE LED, 2. Active-Led Type-2	17	Visual Parameters - Brightness - 330 nits (cd/m2) or above	600 nits (cd/m2) or above	Please refer corrigendum-3.
72	A. ACTIVE LED, 2. Active-Led Type-2	17	Visual Parameters - Refresh - ≥ 3000 or better	3840 or better	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
73	A. ACTIVE LED, 3. Active-Led Type-3	18	Physical Parameters - Clearance required at the back - Front access screen - 150mm Maximum Back Access Screen- 600mm Maximum	Back Access Screen- 150mm	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
74	A. ACTIVE LED, 3. Active-Led Type-3	18	Visual Parameters - Brightness - 330 nits (cd/m2) or above	600 nits (cd/m2) or above	Please refer corrigendum-3.
75	A. ACTIVE LED, 3. Active-Led Type-3	18	Visual Parameters - Refresh - ≥ 3000 or better	3840 or better	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
76	Section No. 5 PRI	15	Do partner need to provision PRI lines for EdCIL get PRI lines as per solution requirement		The provision for PRI line would be at the client site. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per



				the requirement at the
				RFP stage.
	Section No.	32	Please suggest where audio conferences will	RFI stage.
	5	02	be hosted	It will be hosted on client site via web and
77	Mini Audio-			its part of video and
	Conferencin			audio conferencing
	g solution			system.
78	Section No. 5 Call Manageme nt Solution	46	EOI talks about about email and Web Chat capability .Call management will Email solution(example Microsoft Exchange) for agent email. EdCIL Web site will be required to embed	The provision for email exchange would be at the client site. However, EdCIL in consultation with end
10	(2)		chat code from call management to web site code. For enabling Web chat .	client will formulate the final BoQ with
			Please if Email solution and websites are	redefined specifications
			already in place or EdCIL will be built them as per solution requirement	as per the requirement at the RFP stage.
	Section No.	46	Please share details of backend system.	
	5		What system is place	
79	Call Manageme			
10	nt Solution			That will be done at
	(4)			RFP stage.
	Section No. 5	46	Please suggest what functionality, you are looking against this clause	
80	Call		looking against tins clause	Some common tasks
	Manageme			like agents logs in and
	nt Solution			automatically making
	(8)		D 1: 1 10 11	them available.
	Section No. 5	47	Recording is asked for every call coming to contact center, but there are no	Voice recording should
81	Call		specification/requirement shared, please	be considered as of now
	Manageme		suggest on below:	and per agengt cost
	nt Solution		1. What kind of recording in required	should be calculated.
	(27)		Voice/screen/video 2. Total seat for recording (number of agents)	However, EdCIL in consultation with end
			3. Average number for calls per agent per day	client will formulate the final BoQ with
			4. Total working days in a week	redefined specifications
			5. Format in which recording to be stored	as per the requirement
	G II 37	4 =	6. Recording retention Time	at the RFP stage.
	Section No. 5	47	Please suggest Which CRM is place	
82	Call Manageme			
02	nt Solution			It will be disclosed at
	(33)			RFP stage.



83	Section No. 5 Call Manageme nt Solution (34)	47	Please what functionality, you are looking against this clause	Provisions for remote access if staff needs remote access. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
84	Section No. 5 Call Manageme nt Solution (42)	47	Please what functionality, you are looking against this clause	The application should be able to pull data from external databases if any available at client site.
85	Section No. 5 Call Manageme nt Solution (43)	47	Please suggest Which CRM is place	It will be disclosed at RFP stage.
86	Section No. 5 Call Manageme nt Solution	46	Is wall board required or Display should be provisioned	The data wall is part of
87	(29) Section No. 5 Call Manageme nt Solution (22)	46	Please if this clause refer to music on hold	EOI. Yes it does.
88	Section No. 5 Call Manageme nt Solution (38,39,40)	47	Please suggest how survey per month	That will be done at RFP stage.
89	Section No. 5 Call Manageme nt Solution (38,39,40)	46	Please suggest below for creating BOQ: 1.Total number softphone and hardware to be supplied 2. Number of Desk phone (hardware.) 3. Number of Soft phones. 4. Number of Agent licenses	Please provide per agent cost as of now. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.



90	Section No. 5 PSTN Gateway (59) Section 5 ACTIVE	18	Please number of port to be provisioned in voice gateway: 1. E1 PRI 2.FXS 3.FXO Bifurcation of cable, distance between Video wall and AV rack. If distance is more then we required Transmitter and receiver. Need	Please provide price for each. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage. Consider maximum possible distance. However, EdCIL in
91	LED with cabling and accessories		clarification	consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
92	Section 5 Active-Led Video Wall Controller with cabling and	19	What are-Input Source other than HDMI and URL-IP browsing via contorller required for not?What is the application	That will be disclosed
93	section 5 LCD Panel (NXN) with cabling and accessories	22	Bifurcation of cable, distance between Video wall and AV rack. If distance is more then we required Transmitter and receiver. Need clarification	at RFP stage. EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the
94	Section 5 LCD Video Wall Controller with cabling and accessories	23	What are-Input Source other than HDMI and URL-IP browsing via contorller required for not?What is the application	RFP stage. That will be disclosed at RFP stage.
95	Section 5 Audio system	31	Local sound reinforcement required or Not? If Soft VC call AEC required then DSP is required.Need your clarification.What is the application	Please refer to EOI.
96	A. ACTIVE LED, S.No	Page No.1	Diagonal Size,163" inches or above. Please amend size in square meters, as per industry standard LED sizes are vary as per site requirement.	In the EoI Document, diagonal size 163 inches or better in 16:9 aspect ratio is



	I	1		
				mentioned. Bidder can
				calculate the width and
				height of the screen
				with the provided pixel
				1
				pitch. Accordingly,
				area in sqft or sqmt
				can be calculated.
			Vigual Parameters Prightness, 220 nits	
		D	Visual Parameters, Brightness 330 nits	
		Page	(cd/m2) or above. Please amend with 500 nits	D1 0
		No.1	brightness as in LED wall category this is	Please refer
97	Point No. 3	5	the standard nits which are available.	corrigendum-3.
			Led Wall Controller, Minimum Input-DVI.	
		Page	Please allow HDMI or better as all	
		No.1	applications runs through HDMI input	Please refer
98	Point No. 6	5	source.	corrigendum-3.
				In the EoI Document,
				diagonal size 135
				inches or better in 16:9
				aspect ratio is
				mentioned. Bidder can
00				
99				calculate the width and
				height of the screen
			Physical Parameters, Diagonal Size-135"	with the provided pixel
		Page	inches or above. Please amend size in square	pitch. Accordingly,
		No.1	meters, as per industry standard LED sizes	area in sqft or sqmt
	Point No. 2	6	are vary as per site requirement.	can be calculated.
			Visual Parameters, Brightness-330 nits	
		Page	(cd/m2) or above. Please amend with 500 nits	
		No.1	brightness as in LED wall category this is	Please refer
100	Point No. 2	6	the standard nits which are available.	corrigendum-3.
			Led Wall Controller, Minimum Input-DVI.	, i
		Page	Please allow HDMI or better as all	
		No.1	applications runs through HDMI input	Please refer
111	Point No. 6	6	source.	corrigendum-3.
111	1 01110 140. 0		Source.	In the EoI Document,
				diagonal size 108
				inches or better in 16:9
1				aspect ratio is
112				mentioned. Bidder can
				calculate the width and
				height of the screen
			Physical Parameters, Diagonal Size-108	with the provided pixel
		Page	inches or above. Please amend size in square	pitch. Accordingly,
		No.1	meters, as per industry standard LED sizes	area in sqft or sqmt
	Point No. 2	7	are vary as per site requirement	can be calculated.
L	1 01110 110. 4		are rary as per site requirement	can so carcaratea.



	T	ı		
113	Point No. 3	Page No.1	Visual Parameters, Brightness 330 nits (cd/m2) or above. Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available.	Please refer corrigendum-3.
114	Point No. 6	Page No.1	Led Wall Controller,Minimum Input-DVI. Please allow HDMI or better as all applications runs through HDMI input source.	Please refer corrigendum-3.
115		Addit ional reque st to add	Certifications. Pls ask BIS certificates of LED wall & LEDWall Controller, Both should be same Make to avoid any sync issue.	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
		adu	15540.	The specs is provided for the minimum requirement. However, EdCIL in consultation with end client will
116		Addit ional reque st to add	Certifications. There is no certificates asked in LCD & LED wall , But in other products its asked ,Pls ask BIS,UL/ETL,FCC/EMC	formulate the final BoQ with redefined specifications as per the requirement at the RFP stage.
117		Secti on 6 Eligi bility and Eval uatio n Crite ria	OEM Qualification Criteria. 1) There is no PQ asked for OEM's, It's a hardware based tender, We request you to add Local Direct Service branch of LED/LED OEM in all India States, NE Zone, UT to secure timely support, Note: LED wall required frequent service to correct dead pixel, 2) We request you to add 800 Cr average Turnover of LED/LCD OEM in last 3 years 3) OEM should have present in india from 10 Years with PF & GST Registration	Please refer corrigendum-3.
118	Active-LED Type-1	Page No.1 5, Point No. 2	Physical Parameters - Diagonal Size 163" inches or above. Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement	In the EoI Document, diagonal size 163 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel



				pitch. Accordingly, area in sqft or sqmt can be calculated.
119	Active-LED Type-1	Page No.1 5, Point No. 3	Visual Parameters - Brightness - 330 nits (cd/m2) or above. Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available	Please refer corrigendum-3.
120	Active-LED Type-1	Page No.1 5, Point No. 6	LED Wall Controller - Minimum Input - DVI. Please allow HDMI or better as all applications runs through HDMI input source	Please refer corrigendum-3.
121	Active-LED Type-2	Page No.1 6 Point No. 2	Physical Parameters - Diagonal Size -135" inches or above. Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement	In the EoI Document, diagonal size 135 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel pitch. Accordingly, area in sqft or sqmt can be calculated.
122	Active-LED Type-2	Page No.1 6 Point No. 2	Visual Parameters - Brightness - 330 nits (cd/m2) or above. Please amend with 500 nits brightness as in LED wall category this is the standard nits which are available	Please refer corrigendum-3.
123	Active-LED Type-2	Page No.1 6 Point No. 6	Led Wall Controller - Minimum Input - DVI. Please allow HDMI or better as all applications runs through HDMI input source.	Please refer corrigendum-3.
124	Active-LED Type-3	Page No.1 7 Point No. 2	Physical Parameters - Diagonal Size - 108 inches or above. Please amend size in square metres, as per industry standard LED sizes are vary as per site requirement.	In the EoI Document, diagonal size 108 inches or better in 16:9 aspect ratio is mentioned. Bidder can calculate the width and height of the screen with the provided pixel pitch. Accordingly, area in sqft or sqmt can be calculated.
	Active-LED Type-3	Page No.1	Visual Parameters - Brightness - 330 nits (cd/m2) or above. Please amend with 500 nits	Please refer corrigendum-3.



125		Point No. 3	brightness as in LED wall category this is the standard nits which are available.	
126	Active-LED Type-3	Page No.1 7 Point No. 6	Led Wall Controller - Minimum Input - DVI. Please allow HDMI or better as all applications runs through HDMI input source.	Please refer corrigendum-3.

CORRIGENDUM-3

S.No.	EoI Page No.	EoI Clause Reference	Original Clause	Revised Clause
			Average Annual Turnover of the firm for the last three financial years, from ITeS should be 50 crores i.e., 2019-20, 2020-21, 2021-22 with net profit and positive net worth.	Average Annual Turnover of the firm for the last three financial years, from IT/ITeS should be 25 crores i.e., 2019-20, 2020-21, 2021-22 with positive net worth.
1	51	Clause 6.3 (Pre-	For MSME registered with NSIC Average Annual Turnover of the firm for the last three financial years, from ITeS should be 45 crores i.e., 2019-20, 2020-21, 2021-22 with net profit and positive net worth.	For MSME registered with NSIC Average Annual Turnover of the firm for the last three financial years, from IT/ITeS should be 20 crores i.e., 2019-20, 2020-21, 2021-22 with positive net worth.
2	52	Qualificati on Criteria)	The Bidder should have experience of deployment of Active LED Videowall LCD Videowall in Govt./PSU/Corporate Sector in the past three financial years, for a similar scope of work.	The Bidder should have experience of deployment of Active LED/ Videowall/ LCD Videowall/ IT/ICT Solution in Govt./PSU/Corporate Sector in the past three financial years.
3	52		The firm must have at least 500 full time professionals on its rolls as on 31st March 2022 in India.	The firm must have at least 50 full time professionals on its rolls as on 31st March 2022 in India.
4	52		The firm/company should be a profit-making concern for each of the last three consecutive financial years i.e., 2019-20, 2020-21, 2021-22	The firm/company should be a profit-making concern in any two financial years in last three financial years i.e., 2019-20, 2020-21, 2021-22
5.	50	Clause 6.1 (Empanel ment Procedure)	Selected Partner shall submit a performance security deposit of Rs 5 Lakhs in the form of Demand Draft/NEFT Bank Transfer to EdCIL.	Selected Partner shall submit a performance security deposit of Rs 5 Lakhs in the form of Demand Draft/NEFT Bank



				Transfer/Bank Guarantee to
				EdCIL.
6.		Active-Led	Visual Parameters: Brightness	Visual Parameters: Brightness
		Type-1,	330 nits (cd/m2) or above	500 nits (cd/m2) or above
	15,16 and 17	Active-Led		
		Type-2	LED Wall Controller: - 1x HDMI,	LED Wall Controller: HDMI or
		and	1x Audio, 1x DVI	better.
		Active-Led		
		Type-3		

Additional Clause for Bidder and OEMs of Sr. No. A,B,C and D. (Refer Page No. 14 of EOI) $\,$

	I		
S.No.	EoI Page No.	EoI Clause Reference	Additional Clause
			OEM should have a registered office in India since 1 st April, 2012 or before to provide after sales service support in India.
1	53		Copy of Certificate of Incorporation to be submitted at the time of RFP. This clause may be asked from OEM of the other IT equipments at the RFP stage.
2.	53	Clause 6.5 (Pre- Qualificati on Criteria for OEM)	 OEM should have a minimum annual average turnover of Rs. 200 crores in India in last three financial years i.e., 2019-20, 2020-21, 2021-22. Documentary proof: CA Certificate, CA's Registration Number and Seal required for the same to be submitted along with the bid. Copy of Certificate to be submitted at the time of RFP. This clause may be asked from OEM of the other IT equipments at the RFP stage. Additional clause for the OEMs may be asked at the RFP Stage as per the requirement of end client.
3.	In reference to the Government of India, Ministry of Finand Department of Expenditure, Order (Public Procurement No. 1) da 23.07.2020, Order (Public Procurement No. 2) dated 23.07.2020 a Order (Public Procurement No. 3) dated 24.07.2020, Department Expenditure, Ministry of Finance, Govt. of India refers. The same available at website https://doe.gov.in/procurement-policy-division/ Bidder shall submit an undertaking on their letter-head stating the India Submit that: "We have read the Clause regarding restrictions on procurem from a bidder of a country which shares a land border with India; certify that we are not from such a country or their beneficial own		



is not from such a country or we will not sub-contract any work to a contractor from such countries or we will not procure the IT equipments from those OEMs who are from such countries".

Any bidder/OEM from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. For details of competent authority refer to Annexure I of Order (Public Procurement No. 1) dated 23.07.2020. Further the above will not apply to bidders/OEM from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects. Updated lists of countries to which lines of credit have been extended or in which development projects are undertaken are given in the website of the Ministry of External Affairs, Govt. of India.